ELSEVIER

Journal of Immunological Methods 199 (1996) 213–214

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 199 (1996)

Number 1 – 29 November 1996

Research reports

A new and simple method to study the role of soluble factors in antibody-mediated cell modulation
Y. Nizet, L. Xu, H. Bazin and D. Latinne (Belgium) 1

A method to recover, enumerate and identify lymphomyeloid cells present in an inflammatory dermal site: a study in laboratory mice
Y. Belkaid, H. Jouin and G. Milon (France) 5

Interleukin-1 receptor antagonist: characterisation of its gene expression in rabbit tissues and large-scale expression in eucaryotic cells using a baculovirus expression system
J. Apostolopoulos, S. Ross, P. Davenport, A. Matsukawa, M. Yoshinaga and P.G. Tipping (Australia, Japan) 27

Limiting dilution analysis of virus-specific memory B cells by an ELISPOT assay
M.K. Slifka and R. Ahmed (USA) 37

Yeast expression of the cytokine receptor domain of the soluble interleukin-6 receptor
P. Vollmer, M. Peters, M. Ehlers, H. Yagame, T. Matsuba, M. Kondo, K. Yasukawa, K.-H. Meyer zum Büschenfelde and S. Rose-John (Germany, Japan) 47

Rapid detection of the FcγRIIA-H/R^{131} ligand-binding polymorphism using an allele-specific restriction enzyme digestion (ASRED)
X.-M. Jiang, G. Arepally, M. Poncz and S.E. McKenzie (USA) 55

Rapid direct determination of *HLA-DQB1 * 0301* in the whole blood of normal individuals and cancer patients by specific polymerase chain reaction amplification
M. Lu, W.A. Thompson, D.A. Lawlor, J.D. Reveille and J.E. Lee (USA) 61

A highly precise reporter gene bioassay for type I interferon
U. Canosi, M. Mascia, L. Gazza, O. Serlupi-Crescenzi, S. Donini, F. Antonetti and G. Galli (Italy) 69

Comparison of two different methods using overlapping synthetic peptides for localizing linear B cell epitopes in the U1 snRNP-C autoantigen
H. Halimi, H. Dumortier, J.-P. Briand and S. Muller (France) 77

Biotinylation of proteins via amino groups can induce binding to U937 cells, HL-60 cells, monocytes and granulocytes
D. Storm, M. Loos and M. Kaul (Germany) 87

Short communication

Recycling of ELISA plates for the serological diagnosis of tuberculosis using a *Mycobacterium tuberculosis*-specific glycolipid antigen
N. Simonney, H. Labrousse, T. Ternynck and P.H. Lagrange (France) 101

Notes to authors 107

Number 2 – 15 December 1996

Research reports

Induction of antibodies against human prion proteins (PrP) by DNA-mediated immunization of $PrP^{0/0}$ mice
S. Krasemann, M. Groschup, G. Hunsmann and W. Bodemer (Germany) 109

Quantitation of the cytosolic phospholipase A_2 (type IV) in isolated human peripheral blood eosinophils by sandwich-ELISA
X. Zhu, N.M. Muñoz, N. Rubio, A. Herrnreiter, D. Mayer, I. Douglas and A.R. Leff (USA) 119

Preferential labeling of α-amino N-terminal groups in peptides by biotin: application to the detection of specific anti-peptide antibodies by enzyme immunoassays
I. Sélo, L. Négroni, C. Créminon, J. Grassi and J.M. Wal (France) 127

Quantitation of RT-PCR amplified cytokine mRNA by aequorin-based bioluminescence immunoassay
L. Xiao, C. Yang, C.O. Nelson, B.P. Holloway,, V. Udhayakumar and A.A. Lal (USA) 139

A comparison of efficacy and specificity of three NK depleting antibodies
S. Ehl, R. Nuesch, T. Tanaka, M. Myasaka, H. Hengartner and R. Zinkernagel (Japan, Switzerland) 149

On the masking of signals on immunoblots by cellular proteins
R.Y.C. Poon, H. Toyoshima and T. Hunter (USA) 155

Optimization of lymphocyte proliferation assay for cells with high spontaneous proliferation in vitro: $CD4^+$ T cell proliferation in bovine leukemia virus infected animals with persistent lymphocytosis
O. Orlik and G.A. Splitter (USA) 159

Dissociation of monoclonal antibody-antigen complexes: implications for ELISA procedures
N. Venkatesh and G.S. Murthy (India) 167

Human antibodies responsible for binding inhibition and polymerization inhibition of human immunodeficiency virus type 1 reverse transcriptase
F. Odawara, K. Sano, T. Otake, S. Okubo, T. Nakano, T. Takasaki, N. Ueba, H. Misaki and M. Nakai (Japan) 175

Enhanced specificity for small molecules in a convenient format which removes a limitation of competitive immunoassay
L.A. Winger, J.L. Dessi and C.H. Self (UK) 185

A simple nested RT-PCR method for quantitation of the relative amounts of multiple cytokine mRNAs in small tissue samples
S. Kotake, H.R. Schumacher Jr. and R.L. Wilder (USA) 193

Short communication

MTS/PMS colorimetric assay is unsuitable for measuring mitogenic responses in porcine blood lymphocytes
B.A. Rotter and Y.-N. Oh (Canada) 205

Letter to the Editors

Letter of apology
G. Lärfars and H. Gyllenhammar (Sweden) 211

Contents of Volume 199 213

Notes to authors 215